

DumpsQuestion

Over **61842+** Satisfied Customers

About Us



Select a vendor... | Select an exam... | Your email address | Free Download

What Clients Say About Us

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ Good things should be shared together. I pass the HPE0-J75. The dumps is good for examination. ”

“ Do not hesitate about the dumps. It is very good valid dumps. Yes, I am sure it is valid for this times. Worthy it. ”



Honey



Hardy

<http://www.dumpsquestion.com>

Professional Dump Collection & Excellent Exam Questions & Latest Questions

Exam : **ACE001**

Title : **Alfresco Certified Engineer**

Vendor : **Alfresco**

Version : **DEMO**

NO.1 On a system using Solr indexes during a document upload Alfresco uses the following process:

- 1.Start a transaction.
 - 2.Update the database
 - 3.Write the content to the file system
 - 4.Commit the transaction assuming a system crash AFTER step 3, what would be state of the system?
- A. The system would be just as it was before the transaction started.
B. The document would have been uploaded and would be marked for Solr indexing.
C. The document would have been uploaded and would be marked read-only.
D. The document information would be in both the database and file system, but would be invisible.
E. The content file would exist on the system, but the database would rollback.

Answer: E

NO.2 What is the default value of the <transaction> element of a Web Script descriptor, if one is not specified?

- A. "none"
B. "none" for GET Web Scripts, "required" for POST/PUT.
C. "required"
D. Depends on the value of <authentication>.

Answer: D

NO.3 In Share a simple and effective way to modify existing pages is to:

- A. Make a copy of the existing page, make your changes and redeploy the page to {extensionRoot}/alfresco/extensions/share
B. Use SurfBug to determine the location of your new page component and then create a WebScript to provide the needed functionality.
C. Use FireBug to determine the location of the new page component, then re-write the underlying WebScript using FreeMarker.
D. Download the Slingshot application from SourceForge and change the appropriate page, then rebuild the share.war file and deploy.

Answer: B

NO.4 You have been tasked to develop a solution that will notify an external system when updates are made to certain documents. These documents can be of any type and the content authors will make the decision if the document needs this "notification" functionality. Select the simplest steps to implement this solution.

- A. Define a new "notify" aspect with a "multi" peer association. Create and register a policy behavior that, when content is updated, users can associate their content via this aspect. As associations are being made, the external notification request will be triggered.
B. Define a new "notify" aspect with no properties. Create and register a policy behavior that, if this aspect is present, will make the external notification request. Users can simply add this aspect to their content item.
C. Extend cm:content to provide an additional "notify" property. Create a policy behavior that will look at the "notify" property and, if set, make the external notification request. Users simply create

cm:content items.

D. Extend sys:base to provide an additional "notify" property. Create a new policy that will look at the "notify" property and, if set, make the external notification request. Users can simply call an action against their content item.

Answer: B

NO.5 When using Solr indexing with Alfresco which of the following application servers can be used?

- A. Jetty
- B. JBoss
- C. WebSphere
- D. WebLogic
- E. Tomcat

Answer: E

NO.6 Which one of the following is NOT exposed to the repository JavaScript API?

- A. Database
- B. Search
- C. Node
- D. Content properties

Answer: A

NO.7 If an object is moved to a different folder, what will happen to the security permissions?

- A. It will inherit the ACL from the new parent folder.
- B. It will inherit the ACL from the user who is moving it.
- C. It will inherit the system wide ACL.
- D. It will keep its old ACL.

Answer: A

NO.8 Which repository folder is the first location where the repository web script container will search for web script implementation files, and can be used to override web scripts placed in any other location?

- A. /Company Home/Web Scripts
- B. /Company Home/Templates/Web Scripts
- C. /Company Home/Data Dictionary/Web Scripts Extensions
- D. /Company Home/Data Dictionary/Web Scripts

Answer: C

NO.9 On a system using Lucene indexes during a document upload Alfresco uses the following process:

- 1.Start a transaction.
- 2.Update the database.
- 3.Write the content to the file system.
- 4.Update the full text index.

5. Commit the transaction.

Assuming a system crash AFTER step 3, what would be state of the system?

- A. The system would be just as it was before the transaction started.
- B. The document would have been uploaded and would be marked read-only.
- C. The document would have been uploaded and would be marked for FT indexing.
- D. The document information would be in both the database and file system, but would be invisible.
- E. The content file would exist on the system, but the database would rollback.

Answer: E

NO.10 What are the mandatory components of a non-Java-backed data web script?

- A. An XML descriptor only
- B. An XML descriptor, JavaScript controller, and an output template
- C. A JavaScript controller and an output template
- D. An XML descriptor and an output template

Answer: D

NO.11 All new objects created in the repository will inherit an ACL from:

- A. the folder where it is created.
- B. the system-wide default ACL.
- C. the type's default ACL.
- D. the user's default ACL.

Answer: A

NO.12 Which virtual filesystem is NOT enabled by default?

- A. CIFS
- B. FTP
- C. NFS
- D. WebDAV

Answer: C