

# DumpsQuestion

Over **61842+** Satisfied Customers

About Us



Select a vendor... | Select an exam... | Your email address | Free Download

## What Clients Say About Us

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ Good things should be shared together. I pass the HPE0-J75. The dumps is good for examination. ”



Honey

“ Do not hesitate about the dumps. It is very good valid dumps. Yes, I am sure it is valid for this times. Worthy it. ”



Hardy

<http://www.dumpsquestion.com>

Professional Dump Collection & Excellent Exam Questions & Latest Questions

**Exam :** E20-475

**Title :** Content Management Systems  
Architecture Exam

**Vendors :** EMC

**Version :** DEMO

NO.1 What is required for using Business Object Framework 2 (BOF 2)?

- A. a dfc.properties file on all client machines such as application servers
- B. a DBOR.properties and a dfc.properties file on all client machines such as application servers and a global registry repository
- C. a DBOR.properties file on all client machines and a global registry repository
- D. a global registry repository and a dfc.properties file on all client machines

Answer: D

NO.2 A client wants to upgrade their Documentum system from 5.3 SP3 to D6, but does not have the

resources to upgrade and test web applications such as Webtop and Content Server components within a

single downtime window. The client asks whether the upgrade can be phased, and if so which

components should be upgraded first.

What is the correct response to the customer's question?

- A. Web applications must be upgraded before the Content Server.
- B. Web applications must be upgraded after the Content Server is upgraded.
- C. Web applications may be upgraded before or after the Content Server is upgraded.
- D. Web applications do not need to be upgraded to make use of D6 features.

Answer: C

NO.3 In addition to core software upgrade considerations, which component of a Documentum system are

most likely to require additional work?

- A. software use cases
- B. network topology
- C. data center architecture
- D. application customizations

Answer: D

NO.4 Your client's Content Servers are running on Sun/Oracle. These servers have numerous custom

applications installed and have been upgraded several times. Security and regulatory considerations

preclude the copying of certain production data to non-production systems. The client's configuration/change management processes and systems are incomplete or missing. You

are tasked

with drafting a plan to copy a repository from the production environment to a development environment in preparation for an upgrade.

Which process should you use to ensure that the new development environment is as similar to the production environment as possible?

A. install Content Server in the development environment using the same docbase id as the production environment

use the Oracle Import/Export tools to export the production database and import it into the development environment

modify various configuration data to conform to the development environment

copy a subset of the production content to the development storage

B. install Content Server in the development environment using the same docbase id as the production environment

use the Dump and Load utility to transfer data and metadata from the production environment to the development environment

modify various configuration data to conform to the development environment

use DQL/DFC applications to delete potentially sensitive data from the development environment

C. copy the entire \$DOCUMENTUM directory and all subdirectories from the production to the development environment

use the Dump and Load utility to transfer data and metadata from the production environment to the development environment

modify various configuration data to conform to the development environment

D. copy the entire \$DOCUMENTUM directory and all subdirectories from the production to the development environment

use the Oracle Import/Export tools to export the production database and import it into the development environment

modify various configuration data to conform to the development environment

create a dm\_location object and filestore in the production system pointing to the development

storage

use the Migrate Content method with an appropriate DQL qualifier to copy a non-restricted subset of

the production content to the development filestores

remove the new dm\_location and dm\_filestore objects

Answer: D

NO.5 A client wants to upgrade a repository from 5.2.5 to 5.3. The repository has 8 million content objects

with an average size of 50K. The full text searching capability is required to be available within 24 hours of

the repository upgrade. The Full-text Index Server is installed on a separate server. The upgrade is

scheduled to happen in two months.

How can the client accomplish this objective?

A. configure an Index Agent in normal mode to operate against the 5.2.5 repository  
create the Full-text Indexes

run the ftintegrity tool to identify documents that were not indexed, and resubmit those documents for  
indexing

upgrade the Content Server and the repository

B. upgrade the Content Server and the repository  
configure an Index Agent in normal mode to operate against the upgraded repository  
create the Full-text Indexes

C. configure a 5.3 Index Agent in migration mode to operate against the 5.2.5 repository  
create the Full-text Indexes.

run the ftintegrity tool to identify documents that were not indexed, and resubmit those documents for  
indexing

upgrade the Content Server and the repository

shut down the migration-mode Index Agent and change it to a normal-mode Index Agent.

D. upgrade the Content Server and the repository  
configure an Index Agent in migration mode to operate against the upgraded repository  
create the Full-text Indexes.

shut down the migration-mode Index Agent and change it to a normal-mode Index Agent

Answer: C

NO.6 A client has a Content Server, Site Caching Services (SCS), Content Transformation

Services (CTS),  
and Full-text Indexes installed on Windows/Oracle servers. The client wants to migrate Documentum applications to Linux.

Which statement is true?

- A. The client must migrate Oracle servers to Linux.
- B. SCS is not supported on Linux.
- C. CTS is not supported on Linux.
- D. Content Server is not supported on Linux/Oracle.

Answer: C

NO.7 A client is migrating their repositories from Windows to Linux. The database server is Oracle. The content file stores are on NAS and made available over CIFS. For the migration, the client has done the following:  
installed Content Server and Oracle client on Linux using an installation owner account with the same name on Windows  
copied the tnsnames.ora from Windows to Linux  
configured replacement Connection Brokers  
added Services entries for the repositories on the Linux Content Server environment attached to the NAS storage using NFS  
updated for each repository the web\_server\_loc, smtp\_server, r\_host\_name, r\_install\_domain, and

projection target attributes for server config using SQL to reflect the new server name

Which minimal high-level steps does the client need to take to complete the migration?

- A. copy all the configuration, and the aek.key files under %DOCUMENTUM%\dba Windows to \$DOCUMENTUM/dba on the Linux Content Server  
update the user\_auth\_target, database\_password\_file, and Docbase Projection Target fields in each server.ini  
update the appropriate dm\_location objects in the repositories using SQL to map to the new locations
- B. copy all the configuration files under %DOCUMENTUM%\dba Windows to \$DOCUMENTUM/dba on the Linux Content Server  
update the user\_auth\_target, database\_password\_file, and Docbase Projection Target fields

in each

server.ini

update the appropriate dm\_location objects in the repositories using SQL to map to the new locations

C. copy all the configuration, and the aek.key files under %DOCUMENTUM%\dba Windows to

\$DOCUMENTUM/dba on the Linux Content Server

update the Docbase Projection Target fields in each server.ini

update the appropriate dm\_location objects in the repositories using SQL to map to the new locations

D. copy all the configuration files under %DOCUMENTUM%\dba Windows to

\$DOCUMENTUM/dba on

the Linux Content Server

update the database\_password\_file, and Docbase Projection Target fields in each server.ini

update the appropriate dm\_location objects in the repositories using SQL to map to the new locations

Answer: A

NO.8 Which is a supported path for upgrading a Content Server to D6?

A. 4i > 5.2.5 > 6

B. 5.2 > 5.2.5 > 6

C. 4i > 5.3 > 6

D. 5.2.5 > 5.3 > 6

Answer: D

NO.9 Before upgrading the Content Server software, which job do you need to run to find sysobjects that

point to non-existent content?

A. Content Warning

B. Consistency Checker

C. Dmclean

D. State of the Repository Report

Answer: B

NO.10 What is the supported procedure for rolling back an upgrade of Documentum Content Server?

A. uninstall the current version, then reinstall the previous version

B. run the uninstaller for the current version and run the Data Dictionary Publish job

- C. remove the directory under %DOCUMENTUM%/product for the current version, change server.ini file and dm\_server\_config, dm\_docbase\_config objects
- D. restore the system from backup

Answer: D

NO.11 What is the recommended method for migrating Web Content Management (WCM) Page Builder templates, blueprints, managed links, and associated content from a production environment to a testing environment?

- A. archive and install a DocApp
- B. perform a repository-to-repository copy operation through WebPublisher
- C. execute cabinet dump and load
- D. use a deep export/import through WebPublisher

Answer: A

NO.12 Which Application Server does D6 Content Server install for its internal use?

- A. BEA Weblogic
- B. Oracle AS
- C. Apache Tomcat
- D. IBM WebSphere

Answer: A

NO.13 You are planning the upgrade of your Content Server software with Branch Office Caching Service (BOCS) on a remote site. The repository has approximately one million objects with 400 GB of content and 350 GB of full-text indexes. The BOCS cache has 20 GB of content. What must be backed up before starting with the upgrade?

- A. content, full-text index, and database
- B. content, full-text index, and BOCS cache
- C. full-text index, database, and BOCS cache
- D. content, database, and BOCS cache

Answer: A

NO.14 Which file replaces the pre-D6 dmcl.ini?

- A. dfc.properties

- B. docbroker.ini
- C. java.ini
- D. dbor.properties

Answer: A

NO.15 Which file(s) handle client configuration in D6?

- A. dmcl.ini only
- B. dfc.properties only
- C. dmcl.ini and dfc.properties
- D. dmclfull.ini only

Answer: B

NO.16 What is the correct sequence of steps for upgrading Content Server and Full-text Index Server?

- A. uninstall Full-text Index Server delete Index Agents upgrade Content Server install Index Agents install Full-text Index Server
- B. upgrade Content Server uninstall Full-text Index Server delete Index Agents install Index Agents install Full-text Index Server
- C. delete Index Agents uninstall Full-text Index Server upgrade Content Server install Full-text Index Server install Index Agents
- D. delete Index Agents upgrade Full-text Index Server upgrade Content Server install Index Agents

Answer: C

NO.17 What is the proper sequence of steps for upgrading Content Server and Document Transformation Services (DTS)?

- A. uninstall Content Server  
uninstall DTS  
install Content Server  
install DTS  
add DTS Support to repository
- B. remove DTS Support from repository  
uninstall DTS upgrade Content Server  
install DTS

add DTS Support to repository  
C. upgrade Content Server  
remove DTS Support from repository  
uninstall DTS  
install DTS  
add DTS support to repository  
D. remove DTS Support from repository  
upgrade Content Server  
uninstall DTS  
install DTS  
add DTS support to repository  
Answer: B

NO.18 Which statement is true about the dump and load operation?

- A. Aspects associated with a dumped object are not included in the dump file.
- B. Content stored in external file storage may be included in a dump file, but blob or turbo storage may not.
- C. The source and target repositories must be the same version, but may use different code pages.
- D. Objects in the target repository will always have the same r\_object\_id as the corresponding object in the source repository.

Answer: A

NO.19 After an upgrade from a pre 5.3 version to 5.3 or 6, what can you do to remove the Verity Full-text Index components?

- A. You delete the Verity Full-text Index components via Documentum Administrator after the upgrade.
- B. The Content Server upgrade procedure deletes the Full-text. Just the empty/fulltext/Verity directory needs to be deleted in the DOCUMENTUM directory.
- C. You do not delete the Verity Full-text Index. The new Fast Full-text installation needs the data for migration.
- D. You delete the Documentum type dmi\_tdk\_index and the Full-text data in DOCUMENTUM/data

directory.

Answer: B

NO.20 You are tasked with performing a Content Server upgrade.

To accomplish this, you do the following:

You first make a repository copy of the production repository by installing the Content Server.

You then create a new repository.

You then copy the database and file storage areas from production to the new environment.

To be successful, what must be true of the new repository copy after this operation is complete?

A. It must have the same Docbase ID as the production repository.

B. It must have a different owner than the production repository.

C. It must project to the same Connection Broker as the production repository.

D. It must have the same Database Connection string as the production repository.

Answer: A