


DumpsQuestion

Over **61842+** Satisfied Customers

About Us



Select a vendor... | Select an exam... | Your email address | Free Download

What Clients Say About Us

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ Good things should be shared together. I pass the HPE0-J75. The dumps is good for examination. ”



Honey

“ Do not hesitate about the dumps. It is very good valid dumps. Yes, I am sure it is valid for this times. Worthy it. ”



Hardy

<http://www.dumpsquestion.com>

Professional Dump Collection & Excellent Exam Questions & Latest Questions

Exam : E20-540

Title : Networked Storage-nas specialist exam

Vendors : EMC

Version : DEMO

NO.1 To make a Celerra file system available to NFS users, a path to the file system from the Data Mover

must exist. This is stored in which table?

- A. Cron
- B. DNS
- C. Export
- D. Hosts

Answer: C

NO.2 Company XYZ just purchased an NS40 for CIFS share deployment. The company is planning on using

the home directory feature of the Celerra. Which restriction must the company be aware of before

deploying the home directory feature?

- A. CIFS users must have their own network drive.
- B. NT security must be disabled.
- C. Share level security cannot be used.
- D. UNIX security must be enabled.

Answer: C

NO.3 Which type of file system is a collection of individual file systems that can be exported as a single

share or single mount point?

- A. CIFS
- B. Linux
- C. Nested mount
- D. NFS

Answer: C

NO.4 To enable the home directory feature for a Data Mover, you must create the CIFS server and then

create which map file on the Data Mover?

- A. /etc/home
- B. /etc/homedir
- C. /homedir/username
- D. /username/homedir

Answer: B

NO.5 Which file system mount option is recommended to guarantee that NFSv4 clients can set and retrieve

ACLs?

- A. MIXED
- B. NATIVE
- C. PERM
- D. SECURE

Answer: A

NO.6 Your customer needs to have multiple CIFS servers running on a single physical Data Mover. Which

type of share will enable the customer access through all of the available CIFS servers?

- A. Distributed
- B. Global
- C. Local
- D. Reserved

Answer: B

NO.7 Which quota policy is recommended in a CIFS environment?

- A. Block
- B. Filesize
- C. Group
- D. User

Answer: B

NO.8 A Data Mover needs to be highly available over the network without any impact on bandwidth. There

are multiple switches available with no special configuration in the network infrastructure.

Which Celerra feature best meets this requirement?

- A. FastEtherChannel
- B. FSN
- C. LACP
- D. VLAN Tagging

Answer: C

NO.9 Alternate Data Stream (ADS) support in Celerra is controlled by the shadow stream system parameter.

What is the EMC recommended setting for this feature?

- A. disabled
- B. enabled
- C. limited
- D. multi

Answer: B

NO.10 To make a Celerra file system available to NFS users, a path to the file system must exist. This is stored in which table?

- A. Control Station export table
- B. Control Station mount table
- C. Data Mover export table
- D. Data Mover mount table

Answer: C

NO.11 Data Movers retrieve and maintain security settings from Group Policy Objects (GPOs) for each CIFS server joined to the Windows 2000/2003 domain. GPOs affect which Data Mover operations?

- A. Kerberos, SMB signing, auditing, event logs, user rights
- B. LDAP, Kerberos, SMB signing, event logs, user rights
- C. NTLM, LDAP, Kerberos SMB signing, user rights
- D. NTLM, LDAP, Kerberos, event logs, user rights

Answer: A

NO.12 Since Kerberos is time-sensitive, it is necessary for the Data Mover to be synchronized with the date and time of the Key Distribution Center (KDC). Which process keeps them synchronized?

- A. Automatic Time Function (ATF)
- B. Centralized Domain Clock (CDC)
- C. Kerberos Function Clock (KFC)
- D. Network Time Protocol (NTP)

Answer: D

NO.13 What could happen to a file system in an NFS-only environment if the maximum size limit option is left

blank when creating or enabling an auto-extend file system?

- A. All available storage could be used.
- B. Auto-extension could panic the Data Mover.

- C. File system could auto-extend only once.
- D. Write Cache would be disabled until more storage is added.

Answer: A

NO.14 Your customer has integrated a Linux host running a third-party vendor application solution. The application uses NFS exported file systems from a NS80 to accommodate the solution databases and logs.

Which NFS mount must be used to ensure high availability at the client host in the event of a Data Mover failover?

- A. Automounted
- B. Hard
- C. Nested
- D. Soft

Answer: B

NO.15 When creating a Virtual Data Mover (VDM) on an EMC Celerra for a CIFS server, which configuration files are stored at the Virtual Data Mover level and not at the Data Mover level?

- A. Auditing and Event Log information
- B. CIFS server configuration
- C. Home directory files
- D. Local Group databases for the server in the VDM

Answer: C

NO.16 A rapidly-growing company has several file servers with multiple file systems. This customer has expressed interest in EMC Celerra for consolidation and to minimize management and complexity. Which

EMC Celerra feature provides the ability to export multiple file systems as a single share?

- A. MPFS
- B. NFS
- C. NMFS
- D. PFS

Answer: C

NO.17 A Celerra administrator has set a quota limit to a value of 4000 for the HR department NFS users. One of the HR users has 2000 1KB files and has reached his limit. Which quota policy has the administrator set?

- A. Block policy
- B. Directory tree policy
- C. File system policy
- D. Filesize policy

Answer: A

NO.18 When setting share level permissions for CIFS exports, what are the share permission options limited to?

- A. Full control, Change, Read
- B. Full control, Read, Write
- C. Share control, Change, Read
- D. Share control, Read, Write

Answer: A

NO.19 What is a prerequisite for managing home directories with the Celerra Management MMC snap-in?

- A. CIFS servers configured with share level security
- B. Export the path for the home directories as a share for the user
- C. GPO refresh policy must be enabled at the domain level
- D. The homedir file must exist in /.etc of the Data Mover

Answer: D

NO.20 What is the limit for the number of Alternate Data Streams (ADS) that the Celerra will support?

- A. 6,000
- B. 12,000
- C. 12,8000
- D. 64,000

Answer: D