

DumpsQuestion

Over **61842+** Satisfied Customers

About Us



Select a vendor... | Select an exam... | Your email address | Free Download

What Clients Say About Us

Disclaimer Policy: The site does not guarantee the content of the comments. Because of the different time and the changes in the scope of the exam, it can produce different effect. Before you purchase the dump, please carefully read the product introduction from the page. In addition, please be advised the site will not be responsible for the content of the comments and contradictions between users.

“ Good things should be shared together. I pass the HPE0-J75. The dumps is good for examination. ”



Honey

“ Do not hesitate about the dumps. It is very good valid dumps. Yes, I am sure it is valid for this times. Worthy it. ”



Hardy

<http://www.dumpsquestion.com>

Professional Dump Collection & Excellent Exam Questions & Latest Questions

Exam : **JN0-412**

Title : **Cloud, Specialist (JNCIS-Cloud)**

Vendor : **Juniper**

Version : **DEMO**

NO.1 What does the Contrail Analytics service do with flows that are greater than or equal to the sampling threshold?

- A. The flow sample is exported.
- B. A modified flow sample is exported according to the probability of bytes during the interval divided by the sampling threshold.
- C. A modified flow sample is exported only after normalizing the byte and packet count during the interval.
- D. The flow sample is not exported.

Answer: A

NO.2 You are required to implement a Contrail service that will automatically increase network resources for that service when under high traffic loads, and reduce network resources for that service under low traffic loads.

Which configuration steps will accomplish this task?

- A. Configure Heat to monitor the CPU threshold of services VMs, and configure a Heat auto-scaling policy to adjust the VM resources allocated to the service.
- B. Configure Ceilometer to monitor the CPU threshold of services VMs, and configure a Heat auto-scaling policy to adjust VM resources based on the alarms generated by Ceilometer
- C. Configure Heat to monitor the CPU threshold of services VMs, and configure a Ceilometer auto-scaling policy to adjust the VM resources based on alarms generated by Heat.
- D. Configure Ceilometer to monitor the CPU threshold of services VMs, and configure a Ceilometer auto-scaling policy to adjust the VM resources allocated to the service.

Answer: B

NO.3 What are two predefined tags that are used in Contrail Security policies? (Choose two.)

- A. group
- B. family
- C. site
- D. label

Answer: C,D

NO.4 What are three mechanisms supported by the Neutron ML2 plugin? (Choose three.)

- A. IPsec
- B. VXLAN
- C. GRE
- D. VLAN
- E. MPLS

Answer: B,C,D

NO.5 Which two statements describe the Kubernetes network policy? (Choose two.)

- A. If a policy is not applied to a pod, then the pod blocks traffic from all sources.
- B. A policy can define traffic in only one direction.
- C. A policy can define traffic in both directions.

D. If a policy is not applied to a pod, then the pod accepts traffic from all sources.

Answer: C,D

NO.6 You are not able to view a specific Glance image under a project named Administrator in OpenStack. However, you are able to view the same image in a different project named ProjectA. What is the problem in this scenario?

- A. There is an issue with Keystone authentication.
- B. Only ISO, qcow2, and raw image types can be seen under all of the projects.
- C. The image is not marked as public.
- D. You have restricted access to the project named Administrator.

Answer: C

NO.7 You have deployed a Contrail cluster that must support bare-metal servers. Which protocol is used to communicate between the bare-metal server's virtual tunnel endpoints and the Contrail cluster to establish sessions with the VM servers?

- A. EVPN/VXLAN
- B. SRTP
- C. BGP
- D. XMPP

Answer: A

NO.8 Refer to the exhibit.

The screenshot shows a 'Create Policy' dialog box. The 'Policy Name' field contains 'analyzer-policy'. The 'Associate Networks' field contains 'frontend'. Below this is a table for 'Policy Rules' with columns: Action, Protocol, Source Network, Source Ports, Direction, Destination Network, Destination Ports, Apply Service, and Mirror to. The rule is configured as follows:

Action	Protocol	Source Network	Source Ports	Direction	Destination Network	Destination Ports	Apply Service	Mirror to
PASS	ANY	frontend	Source	←	backend	Destina	<input checked="" type="checkbox"/>	<input checked="" type="checkbox"/>

At the bottom, there is a dropdown menu for 'analyzer-service-instance' and 'Cancel' and 'Save' buttons.

You have configured your Contrail cluster to mirror traffic going between a network called frontend and a network called backend, however, the Wireshark window is not showing any packets being mirrored.

Referring to the exhibit, which statement is correct?

- A. The mirror to parameter needs to be unchecked.
- B. The apply service parameter needs to be unchecked.
- C. The policy needs to be changed to unidirectional.
- D. Mirroring can only be used on a single interface.

Answer: C

NO.9 Which two statements about Contrail ZooKeeper are true? (Choose two.)

- A. It provides distributed synchronization and group services.
- B. It generates analytic reports on service activation and deactivation time.
- C. It deploys high availability services by thread utilization.
- D. It is a centralized service for configuration information.

Answer: A,D

NO.10 You are deploying Contrail in your existing network and you must ensure that it manages your current IP fabric underlay.

Which two routing protocols are supported in this scenario? (Choose two.)

- A. EIGRP
- B. OSPF
- C. EBGp
- D. RIP

Answer: B,C

NO.11 What is the role of an orchestration platform in a cloud networking environment?

- A. It controls and monitors the network underlay infrastructure.
- B. It configures and monitors tunnels between virtual hosts.
- C. It controls pools of compute, storage, and networking resources.
- D. It configures and monitors tunnels between physical hosts.

Answer: C

NO.12 Which statements are correct about Contrail security?

- A. Contrail security is used to control management access to VNFs.
- B. Contrail security is used to control access into Junos devices.
- C. Contrail security is used to apply security features and segment traffic flows.
- D. Contrail security is used to analyze network performance and learn traffic patterns.

Answer: C